



HP Sales Central

HP Color LaserJet Pro MFP M479dw (W1A77A)

Active as of 6/1/2019

Detailed Specifications

Accessories

HP LaserJet 550-sheet Paper Feeder CF404A; HP v222w 16 GB Mini USB Drive P0R81AA

Acoustic power emissions (active scan)

6.2 B(A)

Acoustic power emissions (active, printing)

6.2 B(A)

Acoustic power emissions (ready)

3.4 B(A)

Acoustic power footnote number

[8]

Acoustic pressure emissions bystander (active scan)

47 dB(A)

Acoustic pressure emissions bystander (active, printing)

49 dB(A)

Acoustic pressure emissions bystander (ready)

14 dB(A)

Automatic document feeder capacity

Standard, 50 sheets uncurled

Automatic paper sensor

No

Bit depth

30-bit

Blue Angel compliant

Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies

Bottom margin (A4)

4.23 mm

Cable included

Yes, 1 USB cable; Yes, fax cable

Certifications and compliances

CSA (Canada), ANZ (Australia & New Zealand), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), KC & KCC (South Korea), NOM (Mexico), Malaysia, Singapore, Chile, Vietnam, Eastern European approvals, CE Marking, FCC approval, BIS(India), S-Mark(Argentina), UL listed and etc.

Code name

Clearwater

Color scanning

Yes

Compatible Network Operating Systems

Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix xenApp & xenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see <http://hp.com/go/unixmodelscripts>, UPD PCL6 /

PS Printer Drivers, Supported for Compatible Network Operating systems please see <http://hp.com/go/upd>

Compatible Operating Systems

Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd

Connectivity, standard

1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Gigabit Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio

Control panel

4.3-in intuitive color touchscreen (CGD); 3 Buttons (Home, Help, Back)

Copier scaling (ADF)

25 to 400%

Copier settings

ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults

Copier smart software features

Instant-on copy; up to 999 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (custom page size presets, binding margin, and two pages to one page); Fit to page; Brightness (lighter/darker); Quality (draft/normal/best); ID copy; Enhancements (optimize for content with presets: none, text, photo, mixed); Copy preview (scan glass only)

Copies, maximum

Up to 999 copies

Copy reduce / enlarge settings

25 to 400%

Copy resolution (black text)

Up to 600 x 600 dpi

Copy resolution (color text and graphics)

Up to 600 x 600 dpi

Copy speed (black, normal quality, A4)

Up to 27 cpm

Copy speed (color, normal quality, A4)

Up to 27 cpm

Copy speed black (normal, letter)

Up to 28 cpm

Copy speed black duplex (A4)

Up to 24 cpm

Copy speed black duplex (Letter)

Up to 25 cpm

Copy speed color (normal, letter)

Up to 28 cpm

Copy speed color duplex (A4)

Up to 24 cpm

Copy speed color duplex (Letter)

Up to 25 cpm

Copy speed footnote number

[7]

Count of cartons per pallet layer

4

Count of layers in pallet

5 (NA), 4 (EMEA/APJ)

Country of origin

Made in China except for BGJ

Datasheet photo 1

Publication photos/W1A77A.jpg

Datasheet photo 4

Publication photos/M479_walkaround-01.jpg

Datasheet publication number

4AA7-4862

Digital sending standard features

Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Quick Sets

Display

4.3" intuitive touchscreen Color Graphic Display (CGD)

Display area (imperial)

3.74 x 2.12 in

Display area (metric)

95.04 x 53.86 mm

Downloadable software

From <http://123.hp.com>; HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS; Fullsolution software and drivers; Basicsolution software and drivers; HP PCL6 xPS Discrete Print Driver; Product Documentation and Support; From <http://hp.com> for Mac OS; HP Easy Start (Guided Software Install); HP Mac PS Print Driver; HP Easy Admin; For Mobile OS; iOS For more information see <http://hp.com/go/businessmobileprinting>; Android For more information see <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators; Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; HP ePrint Software (Mobile Driver for Windows); SAP Print Drivers for more information see <http://support.hp.com/usen/document/c05051702>; HP Web JetAdmin; HP JetAdvantage Security Manager; HP Roam; HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplipweb/index.html>; Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>; ReadIris

Driver updates

Software driver and Hardware Firmware is located at www.hp.com/support/colorljm479mfp

Duplex ADF scanning

No

Duplex printing

Automatic (default)

Duty cycle (monthly, A4)

Up to 50,000 pages

Duty cycle (monthly, letter)

Up to 50,000 pages

Duty cycle footnote number

[12]

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Electromagnetic compatibility

CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6

Energy efficiency

CECP; ENERGY STAR® qualified; EPEAT® Silver

Energy savings feature technology

HP Auto-On/Auto-Off Technology; Instant-on Technology

Energy star certified

Yes

Enhanced scanning resolution

Up to 1200 x 1200 dpi

Envelope Feeder

No

Environmental

Mercury free

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Finished output handling

Sheetfeed

First copy out black (A4)

As fast as 9.5 sec

First copy out black (A4, sleep)

As fast as 11.0 sec

First copy out black (letter)

As fast as 9.3 sec

First copy out black (letter, sleep)

As fast as 10.9 sec

First copy out color (A4)

As fast as 11.1 sec

First copy out color (A4, sleep)

As fast as 12.1 sec

First copy out color (letter)

As fast as 12.1 sec

First copy out color (letter, sleep)

As fast as 12.0 sec

First page out black (A4, ready)

As fast as 9.5 sec

First page out black (A4, sleep)

As fast as 11.0 sec

First page out black (letter, ready)

As fast as 9.3 sec

First page out black (letter, sleep)

As fast as 10.9 sec

First page out color (A4, ready)

As fast as 11.0 sec

First page out color (A4, sleep)

As fast as 12.1 sec

First page out color (letter, ready)

As fast as 10.9 sec

First page out color (letter, sleep)

As fast as 12.0 sec

First page out footnote number

[11]

Fonts and typefaces

84 scalable TrueType fonts

Functions

Print, copy, scan, email

Image legal disclaimer

Product image may differ from actual product

Input capacity

Up to 300 sheets

Left margin (A4)

4.23 mm

Levels of grayscale

256

Mac compatible

Yes

Maximum dimensions (W x D x H)

16.8 x 25.7 x 16.3 in

Maximum dimensions (W x D x H)

426 x 652 x 414 mm

Maximum Input Capacity (envelopes)

Up to 15 envelopes

Maximum input capacity (sheets)

Up to 850 sheets (with Optional 550-sheet tray)

Maximum Memory

512 MB NAND Flash, 512 MB DRAM

Maximum output capacity (sheets)

Up to 150 sheets

Media size (ADF)

Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm

Media size, tray 1

A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)

Media size, tray 2

A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)

Media size, tray 3

A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)

Media sizes supported

Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm)

Media sizes supported

Tray 1, Tray 2: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Optional Tray 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.5 x 13 in)

Media sizes supported, key

10 x 15 cm; A4; Envelopes

Media sizes supported, key

4 x 6 in; Letter; Legal; Envelopes

Media sizes, custom

Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm

Media type and capacity, ADF

Sheets: 50 uncurled

Media type and capacity, tray 1

Sheets: 50; envelopes: 5

Media type and capacity, tray 2

Sheets: 250; envelopes: 10

Media type and capacity, tray 3

Sheets: 550

Media types

Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes

Media weight, supported

Tray 1: 16 to 47 lb bond (up to 52 lb with HP Color laser glossy photo papers); Tray 2: 16 to 43 lb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 lb bond (up to 47 lb with postcards, up to 40 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb bond

Media weight, supported

Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m²

Media weights, supported ADF

16 to 32 lb

Media weights, supported ADF

60 to 120 g/m²

Memory

512 MB NAND Flash, 512 MB DRAM

Minimum dimensions (W x D x H)

16.4 x 18.6 x 15.7 in

Minimum dimensions (W x D x H)

416 x 472 x 400 mm

Minimum System Requirements

2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com

Minimum System Requirements for Macintosh

2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com

Mobile printing capability

Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; Roam capable for easy printing

Mobile printing capability footnote number

[6]

Native scan file format

PDF; JPG

Network capabilities

Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x

Network protocols, supported

TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Number of users

3-10 Users

Operating humidity range

10 to 80% RH (non-condensing)

Operating temperature range

10 to 32.5°C

Operating temperature range

50 to 90.5°F

Output capacity

Up to 150 sheets

Package dimensions (W x D x H)

23.50 x 19.57 x 19.29 in

Package dimensions (W x D x H)

597 x 497 x 490 mm

Package weight

26.8 kg

Package weight

59.1 lb

Page yield footnote number

[5]

Pallet dimensions

47.2 x 39.4 x 102.4 in (NA), 47.2 x 39.4 x 83.1 in (EMEA/APJ)

Pallet dimensions (W x D x H)

1200 x 1000 x 2601 mm (NA), 1200 x 1000 x 2111 mm (EMEA/APJ)

Pallet weight

1227.2 lb (NA), 990.8 lb (EMEA/APJ)

Pallet weight

556.6 kg (NA), 449.4 kg (EMEA/APJ)

Paper handling input, optional

Optional 550-sheet tray

Paper handling input, standard

50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)

Paper handling output, standard

150-sheet output bin

Paper trays, maximum

3

Paper trays, standard

2

Plug and play

Auto Wireless Connect; HP Smart App

Power

110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)

Power consumption

550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP auto-off/auto-on), 0.06 watts (auto-off/manual on), 0.06 watts (Off)

Power consumption footnote number

[3]

Power supply type

Internal (Built-in) power supply

Print colors

Yes

Print languages

HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster

Print quality black (best)

600 x 600 dpi, Up to 38,400 x 600 enhanced dpi

Print quality black (normal)

600 x 600 dpi, Up to 38,400 x 600 enhanced dpi

Print quality color (best)

600 x 600 dpi, Up to 38,400 x 600 enhanced dpi

Print resolution color (normal)

600 x 600 dpi, Up to 38,400 x 600 enhanced dpi

Print Resolution Technologies

HP ImageREt 3600, PANTONE® calibrated

Print speed

Print speed up to 28 ppm (black) and 28 ppm (color)

Print speed (A4/letter) footnote number

[9]

Print speed black (ISO, A4)

Up to 27 ppm

Print speed black (ISO, letter)

Up to 28 ppm

Print speed black (Landscape, A5)

Up to 49 ppm

Print speed black (Portrait, A5)

Up to 7 ppm

Print Speed Color (ISO)

Up to 27 ppm

Print speed color (ISO)

Up to 28 ppm

Print speed color (Landscape, A5)

Up to 49 ppm

Print speed color (Portrait, A5)

Up to 7 ppm

Print speed duplex (A4)

Up to 24 ipm

Print speed duplex (A4)

Up to 24 ipm

Print speed duplex (letter)

Up to 25 ipm

Print speed duplex (letter)

Up to 25 ipm

Print speed footnote number (A5)

[10]

Print Technology

Laser

Print technology

Laser

Printer Management

HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)

Printer smart software features

Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Intuitive 4.3" touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation

Processor speed

1200 MHz

Product long name specifications

HP Color LaserJet Pro MFP M479dw - Print, Copy, and Scan; Prints up to 28 ppm black & 28 ppm color (Letter); Scan to email/Folder/USB/cloud; Up to 50,000 page duty cycle; 750-4,000 recommended monthly page volume; gigabit ethernet networking; dual-band wireless networking; Bluetooth® Low-Energy; Wi-Fi Direct; Auto-duplex printing

Quantity per pallet

20 (NA), 16 (EMEA/APJ)

Recommended media weight (duplex)

16 to 43 lb bond

Recommended media weight (duplex)

60 to 163 g/m²

Recommended monthly page volume

750 to 4000

Recommended monthly page volume footnote number

[13]

Recommended monthly scan volume

750 to 4000

Recommended operating humidity range

30 to 70% RH (non-condensing)

Recommended operating temperature range

15 to 27°C

Recommended operating temperature range

59 to 80.6°F

Replacement cartridges

AMS: For distribution and use in North America and Latin America only: HP 414A Black LaserJet Toner Cartridge (~2,400 pages), W2020A; HP 414A Cyan LaserJet Toner Cartridge (~2,100 pages), W2021A; HP 414A Yellow LaserJet Toner Cartridge (~2,100 pages), W2022A; HP 414A Magenta LaserJet Toner Cartridge (~2,100 pages), W2023A; HP 414x Black LaserJet Toner Cartridge (~7,500 pages), W2020x; HP 414x Cyan LaserJet Toner Cartridge (~6,000 pages), W2021x; HP 414x Yellow LaserJet Toner Cartridge (~6,000 pages), W2022x; HP 414x Magenta LaserJet Toner Cartridge (~6,000 pages), W2023x; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 415A Black LaserJet Toner Cartridge (~2,400 pages), W2030A; HP 415A Cyan LaserJet Toner Cartridge (~2,100 pages), W2031A; HP 415A Yellow LaserJet Toner Cartridge (~2,100 pages), W2032A; HP 415A Magenta LaserJet Toner Cartridge (~2,100 pages), W2033A; HP 415x Black LaserJet Toner Cartridge (~7,500 pages), W2030x; HP 415x Cyan LaserJet Toner Cartridge (~6,000 pages), W2031x; HP 415x Yellow LaserJet Toner Cartridge (~6,000 pages), W2032x; HP 415x Magenta LaserJet Toner Cartridge (~6,000 pages), W2033x; APJ: For distribution and use only in Asia Pacific only: HP 416A Black LaserJet Toner Cartridge (~2,400 pages), W2040A; HP 416A Cyan LaserJet Toner Cartridge (~2,100 pages), W2041A; HP 416A Yellow LaserJet Toner Cartridge (~2,100 pages), W2042A; HP 416A Magenta LaserJet Toner Cartridge (~2,100 pages), W2043A; HP 416x Black LaserJet Toner Cartridge (~7,500 pages), W2040x; HP 416x Cyan LaserJet Toner Cartridge (~6,000 pages), W2041x; HP 416x Yellow LaserJet Toner Cartridge (~6,000 pages), W2042x; HP 416x Magenta LaserJet Toner Cartridge (~6,000 pages), W2043x

Replacement cartridges footnote number

[4]

Resolution

1200 x 1200 dpi optical

Right margin (A4)

4.23 mm

RMN number

BOISB-1811-00

Safety

IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010

Scan file format

PDF; JPG; TIFF

Scan input modes

Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA

Scan resolution, hardware

Up to 1200 x 1200 dpi

Scan resolution, optical

Up to 1200 x 1200 dpi

Scan size (ADF), maximum

216 x 356 mm

Scan size (ADF), maximum

8.5 x 14 in

Scan size (ADF), minimum

102 x 152 mm

Scan size (ADF), minimum

4 x 6 in

Scan size, maximum

216 x 297 mm

Scan size, maximum

8.5 x 11.7 in

Scan speed (normal, A4)

Up to 29 ppm (b&w), up to 20 ppm (color)

Scan speed (normal, letter)

Up to 31 ppm (b&w), up to 21 ppm (color)

Scan technology

Contact Image Sensor (CIS)

Scanner advanced features

Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Quick Sets

Scanner type

Flatbed, ADF

Security management

Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS

Services (Care Pack)

UB9S6E - HP 3y NBD CLJ Pro MFP M479 SVC; UB9S7E - HP 4y NBD CLJ Pro MFP M479 SVC; UB9S8E - HP 5y NBD CLJ Pro MFP M479 SVC; UB9S9E - HP 3y 4h 9x5 CLJ Pro MFP M479 SVC; UB9T0E - HP 4y 4h 9x5 CLJ Pro MFP M479 SVC; UB9T1E - HP 5y 4h 9x5 CLJ Pro MFP M479 SVC; UB9T2E - HP 3y ChnlPartsOnly CLJ Pro MFP M479 SVC; UB9T3E - HP 4y ChnlPartsOnly CLJ Pro MFP M479 SVC; UB9T4E - HP 5y ChnlPartsOnly CLJ Pro MFP M479 SVC; UB9T5PE - HP 1y PW NBD CLJ Pro MFP M479 SVC; UB9T6PE - HP 1y PW 4h 9x5 CLJ Pro MFP M479 SVC; UB9T7PE - HP 1yPW ChnlPartsOnly CLJ ProMFP M479 SVC; U9JT1E - HP Inst SVC w/nw Personal Scanner & Prnt

Software included

No software solutions are included in the Box, only on <http://hp.com>, <http://123.hp.com/laserjet>

Software scan file format

Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, Txt, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, Txt, JPG-2000, PNG, TIFF;

Standard media sizes (duplex)

A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5; Oficio

Standard media sizes (duplex, imperial)

Letter; Legal; Executive; Folio

Standard output capacity (envelopes)

Up to 20 envelopes

Storage device and direct print support

USB Printing; Wi-Fi Direct

Storage temperature range

-20 to 40°C

Storage temperature range

-4 to 104°F

Supplies feature

HP JetIntelligence Cartridge

SureSupply footnote number

[14]

SureSupply supported

Yes

Target user and print volume

For teams up to 10 users; Prints up to 4,000 pages/month

Tariff numbers

8443310000

Tech spec footnote

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

Tech spec footnote

[10] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

Tech spec footnote

[11] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[12] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Tech spec footnote

[13] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

Tech spec footnote

[14] HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit <http://www.hp.com/go/SureSupply>; only available with Original HP supplies; Internet access required.

Tech spec footnote

[15] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Tech spec footnote

[2] In box cartridges yield ~1,200 color composite (C/Y/M) and ~2,400 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <http://www.hp.com/go/learnaboutesupplies>. Pages may vary based on customer printing conditions.

Tech spec footnote

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

Tech spec footnote

[4] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

Tech spec footnote

[5] Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

Tech spec footnote

[6] Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit hp.com/go/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

Tech spec footnote

[7] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.

Tech spec footnote

[8] Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 27 ppm.

Tech spec footnote

[9] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Technology logo, print 1

Publication logos/AMS_EnergyStar.jpg

Technology logo, print 2

Publication logos/AMS_windows_10.jpg

Technology logo, print 3

Publication logos/AMS_mac_hires.jpg

Technology logo, print 4

Publication logos/AMS_AirPrint.jpg

Technology logo, print 5

Publication logos/AMS_Mopria.jpg

Technology logo, print 6

Publication logos/AMS_Epeat silver.jpg

Top key features

Two-sided printing; Scan to email/PDF; 50-sheet ADF

Top margin (A4)

4.23 mm

Twain version

Version 2.3

Typical electricity consumption (TEC) footnote number

[15]

Typical electricity consumption (TEC) number

Energy Star: 1.116 kWh/week

UNSPSC code

43212110

UPC number

(AB0) 192018996472; (AB2) 192018996489; (ABT) 192018996526; (ABY) 192018996533; (ACJ) 192018996496; (ACQ) 192018996540; (B13) 192018996557; (B19) 192018996564; (BAZ) 192018996571; (BBU) 192018996502; (BGJ) 192018996588; (BGM) 192018996519

Warm-up time

As fast as 45 sec

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and

local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)

Web address for additional information

http://h20564.www2.hp.com/hpsc/doc/public/display?docId=bpr01485&DocLang=en&docLocale=en_US&jumpid=reg_r1002_inen_c-001_title_r0002

Weight

23.3 kg

Weight

51.4

What is in the box footnote number

[2]

What's in the box

HP Color LaserJet Pro M479dw; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black~2400 pages, Cyan, Magenta, Yellow: ~1200 pages); In-box documentation (Getting Started Guide, Install Poster); warranty card (Where required); Internet connection is required to set up the printer. HP printer software is available at www.hp.com/support; Power cord; USB cable

Wireless capability

Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.