



imageCLASS X MF1440


Print up to 42 ppm (BW)

Print up to 8-1/2" x 14"

900-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an office or home environments used as part of an organization's extended print fleet, the Canon imageCLASS X MF1440 printer offers speedy performance, minimal maintenance, and an extra paper tray option. Delivering an intuitive user experience, the 5" color touchscreen can be customized to simplify many daily tasks.





WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- UI customization allows users to drag and drop frequently used icons.
- New Application Library features create a unique, customized device experience, and ease of use.
- Supports certain compatible mobile solutions for printing and scanning.¹
- Scan and convert documents to searchable digital files through a single-pass, duplex document feeder.
- Designed for small print jobs with firstprint-out time as fast as 5.3 seconds.
- Provides consistency with the imageRUNNER ADVANCE DX Series.



SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Limit document distribution by implementing Send-to-Myself-only.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at setup. Includes automatic recovery of boot process for self resiliency.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.²



COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.



DEVICE AND FLEET MANAGEMENT

- · Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.




QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve lower energy consumption.
- Encourage environmentally conscious work practices by providing multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.3



MANAGE OUTPUT WITH uniFLOW SOFTWARE

The optional uniFLOW portfolio offers an on-premise or cloud solution that imageCLASS X devices can utilize with flexible authentication. With either card-based or PIN-code-based authentication, imageCLASS X devices can help secure output management, track costs with reporting, and operate mobile printing—one platform for your print, scan, and device management.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



FAST, SINGLE-PASS DUPLEX SCANNING

The imageCLASS X MF1440 model leverages a single-pass document feeder for two-sided scanning at up to 100 images per minute (ipm) in black-and-white or up to 80 ipm in color. Easily scan directly to PC, USB, email, or the network. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).





EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhanced Text), Language, Print Client Faxes, Fax to Preset Destination, Template Email, Standby Slide from Server, and Print File from Server.



Main Unit

Core Functions

Standard: Print, Copy, Scan, Send, Fax

Processor

Canon Custom Processor

Control Panel 5" Color Touch Panel

Memory 1 GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 Sheets 900 Sheets Maximum:

Paper Sources (Letter, 20 lb. Bond)

250-sheet Paper Cassette, 100-sheet Standard:

Multipurpose Tray 550-sheet Paper Cassettes Optional: (Cassette Unit-AH1)

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 150 Sheets Supported Media Types

Cassettes Thin, Plain, Thick, Color, Recycled,

Coated, Pre-punched, Letterhead Multipurpose Thin, Plain, Thick, Color, Recycled, Coated, Label, Pre-punched, Letterhead, Tray:

PostCard, Envelope

Supported Media Sizes

Letter, Legal, Statement, Executive Cassettes:

Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14") Letter, Legal, Statement, Executive

Multipurpose Envelope: COM10, Monarch, C5, DL Tray: Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 44.4 Cover (60 to 120 gsm) Multipurpose 16 lb. Bond to 73.6 lb. Cover (60 to 199 gsm) Tray:

Warm-Up Time

From Power On: 14 Seconds or Less From Sleep 4 Seconds or Less

Mode:

Dimensions (W x D x H)

16.5" x 18.1" x 14.7" Standard (420 x 460 x 375 mm) (Desktop):

Installation Space (W x D) 16.5" x 34.8" Fully Configured: (420 mm x 881 mm)

Weight4

PS:

Approx. 34.4 lb. (15.6 kg) Unit

Supported OS

Windows® 10/11, Server 2012/Server 2012 HFRII:

R2/Server 2016/Server 2019/Server 2022,

MAC OS (10.13 or later)

PCL: Windows® 10/11, Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022

> Windows® 10/11, Windows® Server 2012/ Server 2012 R2/Server 2016/Server 2019/ Server 2022, MAC OS (10.13 or later)

PPD: Windows® 10/11, MAC OS (10.13 or later)

Print Specifications

Printing Method Laser Beam Printing Print Speed⁵

Up to 42 ppm (Letter) First-Print-Out Time Approx. 4.9 Seconds

Recommended Monthly Page Volume

750 - 4.000 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages

UFR II, PCL®6, PCL®5, Adobe PostScript 3®

Double-Sided Printing Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services1 Apple® AirPrint®, Canon Print Business, Mopria™, Canon Print Service, uniFLOW Online, Universal Print⁶

Fonts

PCL: 93 Fonts PS: 136 Fonts

Print Features

Secure Watermark, Header/Footer, Page Layout, Two-sided Printing, Mixed Paper Sizes/Orientations. Toner Reduction, Poster Printing, Print Date

Copy Specifications

Copy Speed

Up to 42 ppm (Letter)

First-Copy-Out Time (Letter)

Approx. 6.0 Seconds Copy Resolution (dpi) Up to 600 x 600

Copy Size

Platen: Up to Letter ADF: . Up to Legal

Multiple Copies Up to 999 Copies Magnification

25% - 400% (1% Increments)

Preset Reductions 25%, 50%, 64%, 78% Preset Enlargements 129%, 200%, 400%

Copy Features Preset R/E Ratios by Area, Two-Sided, Density Adjustment, Original Type Selection, Two-sided Original, Sort, N-on-1, Different Size Originals, Sharpness, Erase Frame, Copy ID

Card, Copy Passport, Reserved Copy

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights Single and Double-sided scanning: 14-28 lb. Bond

(50-105 g/m²)

Platen Acceptable Originals

Sheet, Book **Pull Scan**

ScanGear MF for TWAIN, WIA, and ICA

Scan Resolution (dpi) Up to 600 x 600 Scan-to-Mobile Devices

Canon PRINT Business Scan Speed (Letter)

40/50 ipm (300 x 300 dpi) (Color/BW) Single-sided: Double-sided: 80/100 ipm (300 x 300 dpi) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination

Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 192 x 204 (iFax), 300 x 300 (Other)

Communication Protocol

FTP (TCP/IP), SMB3.0 (TCP/IP) File: Email/iFax: SMTP (Send), POP3 (Receive)

File Format

TIFF, JPEG, PDF (Compact, Searchable) Standard: PDF (Encrypted, Digital Signature) Optional:

Fax Specifications

Modem Speed

Super G3: 33.6 Kbps 14.4 Kbps G3. Compression Method MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size Statement to Legal Fax Memory

Up to 512 Pages **Speed Dials** Max. 281 Dials

Group Dials/Destinations

Max. 299 Dials

Sequential Broadcast Max. 310 Addresses **Memory Backup**

Fax Features

Sender's Name (TTI), Direct Send, Preview, TX Report, Sequential Broadcasting

Security Specifications

Authentication

Standard: Embedded Universal Login Manager,

Department ID Authentication Optional: uniFLOW Online Express

Device

Standard: Standard Storage Initialize, Job Log

Conceal Function, Protecting MFF Software Integrity, Verify System at Startup with Automatic Recovery

Network

TLS 1.3, IPSec, IEEE802.1X Standard:

authentication, SNMPv3, Firewall Functionality (IP/MAC Address Filtering), Enabling/Disabling(Network Applications, Remote UI, USB Interface), G3 FAX separation from LAN, USB Port

separation from LAN

Document

Print Security (Secure Print, Encrypted Standard:

Secure Print, uniFLOW Secure Print⁶), Scan Security⁷ (Encrypted PDF, Device Signature PDF/XPS), Send Data Security (Restricted Email/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict

Sending from History)

uniFLOW Online/uniFLOW Ontional:

PDF Security-E1 Wi-Fi Authentication Methods

128(104)/64(40)bit WEP, Wi-Fi Infrastructure WPA-PSK(TKIP/AES-CCMP) WPA2-PSK(TKIP/AES-CCMP), Mode:

WPA-EAP(AES-CCMP), WPA2-EAP(AES-CCMP)

Wi-Fi Access WPA2-PSK(AES-CCMP)

Point:

Environmental Specifications

Operating Environment 50 to 86 °F Temperature:

Humidity: 20 to 80% RH (No Condensation)

Power Requirements AC 120-127 V: 6.0 A, 60 Hz **Power Consumption**

Approx. 1250 W Maximum: Standby: Approx. 8.0 W Sleep Mode: Approx. 0.9 W 0.33 kWh Typical

Electricity Consumption (TEC) Rating: Standards

ENERGY STAR® Qualified, Currently Rated EPEAT Silver3



Accessories

Card Readers⁸

MiCard Readers9 Proximity card reader designed to be used with uniFLOW for card authentication.

Copy Card Reader-F1 Department ID authentication with Canon magnetic stripe cards.

Print Accessories

Barcode Print Kit-F1 Installs bar code fonts for bar code printing.

Send PDF Security Kit-E1 Send encrypted PDFs and add digital device signatures

Control Interface Kit-C1 Connects third-party card reader or coin operator system to device.

Extended Service Packs

Canon eCarePAK Canon Extended Service Plans offer coverage beyond the standard one-year limited warranty¹⁰ up to four years.

GENUINE® CONSUMABLES



Toner T13 (Yield up to 10,600 Pages)

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

Toner yielding 2,700 pages is included in the box.

- Canon PRINT Business is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ² Please reference user manuals for details on settings available to export.

OPTIONAL CASSETTE-AH1

· 44.4 lb. Bond to 74 lb. Cover

550-Sheet Capacity

· Support Letter

- ³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net
- 4 Includes consumables
- ⁵ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- ⁶ Requires optional uniFLOW Online/uniFLOW.
- 7 Requires optional PDF SECURITY-E1
- 8 Attachment kit required.
- 9 Ask Dealer for reader compatibility information.
- 10 Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.



usa.canon.com











As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS X, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2023 Canon U.S.A., Inc. All rights reserved.





